

PATENT
App. Ser. No.: 10/891,308
Atty. Dkt. No. ROC920030320US1
PS Ref. No.: IBMK30320

IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended) A method for context-sensitive searching of fields of a data repository using multiple levels of term expansion, comprising:
receiving, from a user, a query containing at least one condition for searching at least one field of the data repository, wherein the at least one condition includes at least one base search term;
obtaining one or more parameters associated with the base search term;
obtaining a level of expansion based on the one or more parameters associated with the base search term;
obtaining, based at least in part on the level of expansion, one or more expanded search terms; and
prior to executing the query, modifying the query to contain one or more conditions based on the one or more expanded search terms.
2. (Original) The method of claim 1, wherein the one or more parameters associated with the base search term comprise a name of the at least one field.
3. (Original) The method of claim 1, wherein the one or more parameters associated with the base search term comprise a name of a table containing the at least one field.
4. (Original) The method of claim 1, wherein different one or more expanded search terms are obtained for the at least one base search term depending on the name of the at least one field.
5. (Original) The method of claim 1, wherein the one or more parameters associated with the base search term comprise a user-specified level of expansion.
6. (Currently Amended) A method for searching fields of a data repository using multiple levels of term expansion, comprising:

PATENT
App. Ser. No.: 10/691,308
Atty. Dkt. No. ROC920030320US1
PS Ref. No.: IBMK30320

receiving, from a user, a query containing at least one condition for searching at least one field of the data repository, wherein the at least one condition includes at least one base search term;

obtaining a level of expansion associated with the base search term;

obtaining, based on the base search term and the associated level of expansion, one or more expanded search terms; and

prior to executing the query, modifying the query to contain one or more conditions including the one or more expanded search terms.

7. (Original) The method of claim 6, wherein the base search term corresponds to an instance data value of the at least one field.

8. (Original) The method of claim 6, further comprising providing an interface allowing a user to specify the level of expansion associated with the base search term.

9. (Original) The method of claim 6, wherein obtaining one or more expanded search terms comprises selecting a set of expanded search terms from a plurality of sets of expanded search terms, each set corresponding to a different level of expansion.

10. (Original) The method of claim 9, wherein the number of expanded search terms in each set is dependent on the corresponding level of expansion.

11. (Currently Amended) A method for context-sensitive searching of fields of a data repository, comprising:

receiving, from a user, a query containing at least one condition for searching at least one field of the data repository, wherein the at least one condition includes at least one base search term;

obtaining, based one or more parameters associated with the base search term, one or more expanded search terms; and

prior to executing the query, modifying the query to contain one or more conditions based on the one or more expanded search terms.

12. (Original) The method of claim 11, wherein the one or more parameters associated with the base search term comprise a name of the at least one field.

PATENT
App. Ser. No.: 10/691,308
Atty. Dkt. No. ROC920030320US1
PS Ref. No.: IBMK30320

13. (Original) The method of claim 12, wherein different one or more expanded search terms are obtained for the at least one base search term depending on the name of the at least one field.

14. (Original) The method of claim 11, wherein the one or more parameters associated with the base search term comprise a name of a table containing the at least one field.

15. (Original) The method of claim 11, wherein the one or more parameters associated with the base search term comprise a level of expansion.

16. (Original) The method of claim 15, wherein the level of expansion is dependent on one or more other ones of the one or more parameters.

17. (Currently Amended) A computer-readable storage medium containing a program for searching fields of a data repository using multiple levels of term expansion which, when executed, performs operations comprising:

providing a first interface allowing a user to build a query containing at least one condition for searching at least one field of the data repository, wherein the at least one condition includes at least one base search term;

providing a second interface allowing the user to specify expanded search terms to be associated with the at least one base search term; and

prior to executing the query, modifying the query to contain one or more conditions including the one or more specified expanded search terms.

18. (Currently Amended) The computer-readable storage medium of claim 17, wherein the second interface is accessible from the first interface.

19. (Currently Amended) The computer-readable storage medium of claim 17, wherein the second interface allows a user to specify different sets of expanded search terms associated with different levels of expansion.

PATENT
App. Ser. No.: 10/691,308
Atty. Dkt. No. ROC920030320US1
PS Ref. No.: IBMK30320

20. (Currently Amended) The computer-readable storage medium of claim 19, wherein the different levels of expansion are determined, at least in part, based on one or more credentials of the user.

21. (Currently Amended) A data processing system, comprising:
a collection of data;
at least one expanded term repository; and
an executable component configured to receive a query containing at least one condition for searching the collection of data, obtain, based on at least one base search term included in the at least one condition and at least one parameter indicative of a context of the query, one or more expanded search terms contained in the at least one expanded term repository, and prior to executing the query, modify the query to contain one or more conditions based on the one or more expanded search terms.

22. (Currently Amended) The system of claim ~~[[20]]~~21, wherein the collection of data is a relational database.

23. (Original) The system of claim 21, wherein the collection of data is a text document.

24. (Original) The system of claim 21, wherein the at least one expanded term repository comprises a single repository containing different sets of expanded search terms associated with the same base term.

25. (Canceled)

26. (Original) The system of claim 21, wherein the at least one parameter indicative of a context of the query is indicative of a portion of the collection of data involved in the at least one condition.

27. (Original) The system of claim 26, wherein the at least one parameter indicative of a context of the query comprises a name of a table containing the at least one field.

PATENT
App. Ser. No.: 10/691,308
Atty. Dkt. No. ROC920030320US1
PS Ref. No.: IBMK30320

28. (Original) A method of searching fields of a data repository using dynamic term expansion, comprising:

obtaining a query containing at least one condition for searching at least one field of the data repository, wherein the at least one condition includes at least one base search term;

identifying a set of expanded terms associated with the base search term;

generating a pointer to the identified set of expanded search terms; and

prior to executing the query, modifying the query to contain one or more conditions based on one or more expanded search terms retrieved using the pointer.

29. (Original) The method of claim 28, further comprising modifying the identified set of expanded search terms after generating the pointer.

30. (Original) The method of claim 28, wherein the pointer comprises a directory path to a database.